



PGX1600E-H

Charges more than 250Ah of energy in sequence overnight.

Product Details

Model Name 1600W HUB

Marketing Information

Model Name 1600W HUB

PDP Short Description Charges more than 250Ah of energy in sequence overnight.

Long Description

Charges more than 250Ah of energy in sequence overnight.

- Led Indicator clearly shows Power Hub status while charging.
- Fan cooled for efficient charging.
- IoT Bluetooth and WiFi enabled to relay data from new compatible Pro X products, along with physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.

Packaging Contains 1x 1600W HUB [PGX1600E-H]

Technical Specifications

Input Voltage / Frequency 230V / 50Hz

Output Voltage 56 V

WiFi Connection No

Max. Charger Length (mm) 435

Max. Charger Width (mm) 328

Max. Charger Height (mm) 165

Charger Weight (g)	6000
--------------------	------

Marketing Features

Battery Cooling	No
Charging Indicator	LED
IOT Function	Yes
USB Charging	No
AC Outlet	No
Battery Lock	No
Cable Management	Yes
Charger Cooling	Fan cooling
Wall-Mount Function	Yes


Packaging Details

KEES VAN DER SPEK
TUINMACHINES & STOLWIJK

Packaging Type	Item	Single Pack	Master Pack Outer Carton (Kraft)
Packaging Measurement Unit Type	Metric	Metric	Metric
Quantity	1	1	2
Weight		5.20	11.70
Weight Unit		Kilogram	Kilogram
Height (H)		43	46
Height Unit		Centimetre	Centimetre
Width (L)		32.5	35
Width Unit		Centimetre	Centimetre
Depth (W)		16.5	34.5
Depth Unit		Centimetre	Centimetre
Gross Weight Incl Packaging		6.00	12.60
Gross Weight Incl Packaging Unit		Kilogram	Kilogram
Commodity Code / Tariff Code		8504406090	
Item Number			

Accessories

EGO AEK1000 PGX™ Commercial Charging E-Track Mounting Kit



Main



PGX1600E-H_EGOEU_CHARGER_MAIN_01.psd

Date created: 2023-10-10T06:30:27:000+0000

Date Changed: 2023-10-10T06:23:26:000+0000

CONFIDENTIAL.

Page 0CP / 0NP

KEES VAN DER SPEK
TUINMACHINES ★ STOLWIJK